

## Author index to volume 10

- Andersen, C.S., C.B. Madsen, J.J. Sorensen, N.O.S. Kirkeby, J.P. Jones and H.I. Christensen, Navigation using range images on a mobile robot 10 (1992) 147
- Beiner, L., Singularity avoidance for SCARA robots 10 (1992) 63
- Bicchi, A., A criterion for optimal design of multi-axis force sensors 10 (1992) 269
- Butler, P.L., An integrated architecture for modular control systems 10 (1992) 101
- Butler, P.L., see Jones, J.P. 10 (1992) 85
- Cheung, E. and V. Lumelsky, A sensitive skin system for motion control of robot arm manipulators 10 (1992) 9
- Cho, C.J. and J.H. Kim, Recognition of 3-D objects by forward checking constrained search 10 (1992) 287
- Christensen, H.I., see Andersen, C.S. 10 (1992) 147
- Costello, H., see Kress, R. 10 (1992) 185
- Crowley, J.L. and P. Reignier, Asynchronous control of rotation and translation for a robot vehicle 10 (1992) 243
- DePiero, F.W., see Pin, F.G. 10 (1992) 161
- Dose, M., see Schöner, G. 10 (1992) 253
- Fritz, W., World view and learning systems 10 (1992) 1
- Glassell, R., see Kress, R. 10 (1992) 185
- Gosselin, C.M., see Sefrioui, J. 10 (1992) 209
- Heywood, T.G., see Jones, J.P. 10 (1992) 85
- Jansen, J.F., see Noakes, M.W. 10 (1992) 199
- Johnston, S.E., see Jones, J.P. 10 (1992) 85
- Jones, J.P., P.L. Butler, S.E. Johnston and T.G. Heywood, *Hetero Helix*: Synchronous and asynchronous control systems in heterogeneous distributed networks 10 (1992) 85
- Jones, J.P., see Andersen, C.S. 10 (1992) 147
- Kim, J.H., see Cho, C.J. 10 (1992) 287
- Kirkeby, N.O.S., see Andersen, C.S. 10 (1992) 147
- Kress, R., H. Costello, R. Glassell and S. March-Leuba, Future armor rearm control system design 10 (1992) 185
- Lumelsky, V., see Cheung, E. 10 (1992) 9
- Madsen, C.B., see Andersen, C.S. 10 (1992) 147
- March-Leuba, S., see Kress, R. 10 (1992) 185
- Megahed, S.M., Efficient computation algorithm for dynamic modelling of tree structure robot arms 10 (1992) 225
- Noakes, M.W. and J.F. Jansen, Generalized inputs for damped-vibration control of suspended payloads 10 (1992) 199
- Padhy, S.K., On the dynamics of SCARA robot 10 (1992) 71
- Parker, L.E., see Pin, F.G. 10 (1992) 161
- Pin, F.G., Robotics and Intelligent Systems Research at the Oak Ridge National Laboratory (Guest editorial) 10 (1992) 81
- Pin, F.G., L.E. Parker and F.W. DePiero, On the design and development of a human-robot synergistic system 10 (1992) 161
- Pin, F.G., see Vasseur, H.A. 10 (1992) 133
- Reignier, P., see Crowley, J.L. 10 (1992) 243

- Schöner, G. and M. Dose, A dynamical systems approach to task-level system integration used to plan and control autonomous vehicle motion 10 (1992) 253
- Sefrioui, J. and C.M. Gosselin, Singularity analysis and representation of planar parallel manipulators 10 (1992) 209
- Sorensen, J.J., see Andersen, C.S. 10 (1992) 147
- Starr, G.P., An experimental investigation of object stiffness control using a multifingered hand 10 (1992) 33
- Taylor, J.R., see Vasseur, H.A. 10 (1992) 133
- Unseren, M.A., A rigid body model and decoupled control architecture for two manipulators holding a complex object 10 (1992) 115
- Vasseur, H.A., F.G. Pin and J.R. Taylor, Navigation of car-like mobile robots in obstructed environments using convex polygonal cells 10 (1992) 133
- Zomaya, A.Y., On the fast simulation of Direct and Inverse Jacobians for robot manipulators 10 (1992) 43

## Subject index to volume 10

- |   |               |                                    |                       |
|---|---------------|------------------------------------|-----------------------|
| A heuristic search                        | 10 (1992) 287 | Laser range image analysis         | 10 (1992) 147         |
| Assembly robot                            | 10 (1992) 71  | Learning by observation            | 10 (1992) 161         |
| Asynchronous control                      | 10 (1992) 101 |                                    |                       |
| Autonomous mobile robots                  | 10 (1992) 133 | Mobile robot                       | 10 (1992) 147         |
|   |               | Motion in unstructured environment | 10 (1992) 9           |
| Car-like robot                            | 10 (1992) 133 |                                    |                       |
| Complex chain arms                        | 10 (1992) 225 | Non-holonomic constraints          | 10 (1992) 133         |
| Composite controller                      | 10 (1992) 115 |                                    |                       |
| Computer aided design                     | 10 (1992) 209 | Obstacle avoidance                 | 10 (1992) 9, 133      |
| Constrained tree search                   | 10 (1992) 287 | Occam                              | 10 (1992) 43          |
| Crane control                             | 10 (1992) 199 | Odometric error model              | 10 (1992) 243         |
|   |               | Odometry                           | 10 (1992) 243         |
| Damped vibration                          | 10 (1992) 199 | Optimal design of sensing systems  | 10 (1992) 269         |
| Degeneracy                                | 10 (1992) 209 |                                    |                       |
| Device controller                         | 10 (1992) 243 | Parallel manipulator               | 10 (1992) 209         |
| Dexterous hand                            | 10 (1992) 33  | Parallel processing                | 10 (1992) 43          |
| Direct kinematic problem                  | 10 (1992) 209 | Path planning                      | 10 (1992) 133, 147    |
| Distributed sensing                       | 10 (1992) 9   | Position estimation                | 10 (1992) 243         |
| Distributed shared memory                 | 10 (1992) 85  |                                    |                       |
| Distributed systems                       | 10 (1992) 43  | Real-time programming              | 10 (1992) 101         |
| 3-D object recognition                    | 10 (1992) 287 | Reduced order model                | 10 (1992) 115         |
| Dynamic load distribution                 | 10 (1992) 115 | Robot arms                         | 10 (1992) 43          |
| Dynamic modelling                         | 10 (1992) 225 | Robot control                      | 10 (1992) 9           |
| Dynamics                                  | 10 (1992) 71  | Robot dynamics                     | 10 (1992) 225         |
|   |               | Robotics                           | 10 (1992) 43, 71, 225 |
| Environment modelling                     | 10 (1992) 147 | Robotic sensing                    | 10 (1992) 269         |
| Execution monitoring                      | 10 (1992) 161 | Robot manipulators                 | 10 (1992) 43          |
|   |               | Robot navigation                   | 10 (1992) 133         |
| Force control                             | 10 (1992) 33  | Robot singularities                | 10 (1992) 63          |
| Force/torque sensing                      | 10 (1992) 269 |                                    |                       |
| Forward checking                          | 10 (1992) 287 | SCARA robots                       | 10 (1992) 63          |
|   |               | Sensitive skin                     | 10 (1992) 9           |
| Geometric constraints                     | 10 (1992) 287 | Sensor-based motion planning       | 10 (1992) 9           |
| Graphical simulation                      | 10 (1992) 209 | Sensor-based robotics              | 10 (1992) 161         |
|   |               | Servo-level robotic control        | 10 (1992) 101         |
| Heterogeneous systems, Distributed comput |               | Shared control                     | 10 (1992) 161         |
| ing                                       | 10 (1992) 85  | Singularity                        | 10 (1992) 209         |
| Human-machine interface                   | 10 (1992) 161 | Singularity locus                  | 10 (1992) 209         |
| Human-robot synergy                       | 10 (1992) 161 | Steering constraint                | 10 (1992) 133         |
|   |               | Synchronous control                | 10 (1992) 101         |
| Impedance control                         | 10 (1992) 33  |                                    |                       |
| Infrared sensor array                     | 10 (1992) 9   | Task allocation                    | 10 (1992) 161         |
| Instrumented robot wrists                 | 10 (1992) 269 | Topological structure matrix       | 10 (1992) 225         |
| Internal Stress contact forces            | 10 (1992) 115 | Transputer                         | 10 (1992) 43          |
| Inverse Jacobian                          | 10 (1992) 43  | Tree structure                     | 10 (1992) 225         |
| Inverse kinematic problem                 | 10 (1992) 209 | Two manipulators                   | 10 (1992) 115         |
|   |               |                                    |                       |
| Jacobian                                  | 10 (1992) 43  | Unstructured environment           | 10 (1992) 133         |
| Jacobian matrix                           | 10 (1992) 209 |                                    |                       |
| Job planning                              | 10 (1992) 161 | Vehicle controller                 | 10 (1992) 243         |
| Jointed payload                           | 10 (1992) 115 | VLSI architectures                 | 10 (1992) 43          |
|   |               |                                    |                       |
| Kalman filter                             | 10 (1992) 243 | Workspace                          | 10 (1992) 209         |

